

Self Jan 27, 2017

Work Order ID 154693***154693***

Page 1

Monday, December 19, 2016 3:57:30 PM

Item ID: D4635-041**Accept*****N900040100*****Setup Start*****NS1*****Revision ID:****Stop*****NS2*****Item Name:** Fwd Ceiling Panel Assembly, LH**Start Date:** 1/4/2017 **Start Qty:** 1.00***1*****Cust Item ID:****Required Date:** 1/17/2017 **Req'd Qty:** 1.00***1*****Customer:****Reference:****Approvals:** **Process Plan:** VS **Date:** 12/12/20**Tooling:** **Date:** _____**Run Start*****NR1*****QC:** **Date:** _____**SPC (Y/N):** **Date:** _____**Stop*****NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr**Revision Nbr**

D4635

F

100

0.00

100

HandThermo

Memo

0.00

Hand Finishing Thermoforming

Pick Kit

 DAS
 6
 9-89

JAN 12 2017

110

0.00

110

Small Fab

Memo

0.15

Small Fab

1- Assemble as per Dwg D4635-041

2-Install speakers

3- Install Air valves

4-Install Wiring Harness

5-Install wiring harness

SMB

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 154693

Monday, December 19, 2016 3:57:30 PM

154693

Page 2

Item ID: D4635-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Fwd Ceiling Panel Assembly, LH
Start Date: 1/4/2017 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 1/17/2017 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC5- Inspect part completeness to step on W/O	0.00							
120									
QC	Memo	0.00							DAS 9 9-89
Quality Control									
130	Identify as per dwg & Stock Location: <u>PK</u>	0.00							
130									
Packaging	Memo	0.00							(DAS 9-89 6
Packaging									JAN 2 5 2017
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.02							DAS 21 9-89
Quality Control									JAN 2 6 2017

DAS
21
9-89 JAN 2 5 2017

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Monday, December 19, 2016 3:57:34 PM

Page 1

154693

D4635-041

Required Qty: 1.00

IPP Rev. B
IPP Rev. C Dwg.
IPP Rev D Dwg Update
IPP Rev. F

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4652-5		Manufactured	No			100	Each	0.0000	2	2			
D4652-5 Air Valve, 1.25 Id Disk Type MS24693-BB51 *MS24693-BB51* Screw													
		Purchased	No			100	Each	421.0000	8	8			
MS24693-BB51 Screw B122691** Smb													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST288		421							
				m128057		421							
D4635-141		Manufactured	No			100	Each	0.0000	1	1			
D4635-141 Fwd Ceiling Replacement Panel Assembly, LH D4646-1 *D4646-1* Plenum Cap Assembly													
		Manufactured	No			100	Each	23.0000	2	2			
D4635-141 Fwd Ceiling Replacement Panel Assembly, LH D4646-1 *D4646-1* Plenum Cap Assembly B154730** Smb													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				MF009		23							
				125003		11							
				152626		12							

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Picklist Print

Monday, December 19, 2016 3:57:34 PM

Work Order ID: 154693

154693

Parent Item: D4635-041

D4635-041

Parent Item Name: Fwd Ceiling Panel Assembly, LH

Start Date: 1/4/2017

Required Date: 1/17/2017

Start Qty: 1.00

Required Qty: 1.00

D4655-1 Manufactured No

100 Each 17.0000 2 2

D4655-1

Speaker

**

Location Loc Qty Loc Code

MF002 17

117634 17

100 Each 14.0000 2 2

D4708-9 Manufactured No

D4708-9

Lanyard

**

Location Loc Qty Loc Code

MF004 14

150077 14

100 Each 15.0000 1 1

D4728-041 Manufactured No

D4728-041

LH Cabin Speaker #1

**

Location Loc Qty Loc Code

MF002 1

117921 1

MF009 14

124216 14

100 Each 16.0000 1 1

D4728-043 Manufactured No

D4728-043

LH Cabin Speaker #2

**

Location Loc Qty Loc Code

MF002 1

117925 1

MF009 15

124296 15

JAN 13 2017 DAS 6 9-89

JAN 13 2017 DAS 6 9-89

JAN 13 2017 DAS 6 9-89

JAN 13 2017 DAS 6 9-89

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
		OTHER : _____							

Picklist Print

Monday, December 19, 2016 3:57:34 PM

Work Order ID: 154693

154693

Parent Item: D4635-041

D4635-041

Parent Item Name: Fwd Ceiling Panel Assembly, LH

Start Date: 1/4/2017

Required Date: 1/17/2017

Start Qty: 1.00

Required Qty: 1.00

D4728-059 Manufactured No

100 Each 16.0000 1 1

D4728-059

Cabin Lights Harness

Location	Loc Qty	Loc Code
MF002	1	
<u>117936</u>	1	
MF009	15	
124187	15	

JAN 13 2017

DAS 6 9-89

D4743-1 Manufactured No

100 Each 20.0000 2 2

D4743-1

Speaker Grill

Location	Loc Qty	Loc Code
MF005	20	
<u>149065</u>	20	

JAN 13 2017

DAS 6 9-89

MS21044-N08 Purchased No

100 Each 34.0000 8 8

MS21044-N08

Nut

Location	Loc Qty	Loc Code
ST302	34	
<u>m131452</u>	34	

M136502X2

DAS 6 9-89

JAN 12 2017

MS21919-WDG8 Purchased No

100 Each 21.0000 6 6

MS21919-WDG8

Clamp

Location	Loc Qty	Loc Code
ST293	21	
m135408	21	

DAS 6 9-89

JAN 12 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step # : _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
OTHER : ☐									

Picklist Print

Monday, December 19, 2016 3:57:34 PM

Work Order ID: 154693

154693

Parent Item: D4635-041

D4635-041

Parent Item Name: Fwd Ceiling Panel Assembly, LH

Start Date: 1/4/2017

Required Date: 1/17/2017

Start Qty: 1.00

Required Qty: 1.00

NAS1149DN832J

Purchased

No

100

Each

1,682.000

8

8

NAS1149DN832.J

Washer

DAS
6
9-89

JAN 12 2017

Location

Loc Qty

Loc Code

ST264

1682

M135297

1682

8

PLT1.5M-M

Purchased

No

100

Each

2,735.000

7

7

PI T1 5M-M

Tie Wrap

JAN 12 2017

Location

Loc Qty

Loc Code

ST585

2735

m129712

2735

7

DAS
6
9-89

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 154683
VLC
16/1/20



D4635-041 LH, FWD CEILING PANEL ASSY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.4, ON SMOOTH SIDE
- 7) WEIGHT: 8.0 lbs
- 8) INSTALL D4728-041/043/059 WIRE HARNESS PER QSI 048
- 9) ON D4708-9 LANYARD OPEN TO Ø 0.196 BOTH ENDS

ITEM NO.	QTY. -041	P/N	DESCRIPTION
1	X	D4635-041	LH, FWD CEILING PANEL ASSY
2	1	D4635-141	LH, FWD CEILING REPLACEMENT PANEL ASSY
3	2	D4646-1	PLENUM CAP ASSEMBLY
4	2	D4652-3 (REF)	MOUNTING NUT (PART OF D4652-5)
5	2	D4652-5	AIR VALVE, 1.16 ID DISK TYPE
6	2	D4655-1	SPEAKER
7	2	D4708-9	LANYARD
8	1	D4728-041	LH SPEAKER #1 HARNESS ASSY
9	1	D4728-043	LH SPEAKER #2 HARNESS ASSY
10	1	D4728-059	CABIN LIGHT HARNESS
11	2	D4743-1	SPEAKER GRILL
12	8	MS21044-N08	NUT, SELF-LOCKING
13	6	MS21919WDG8	CLAMP
14	8	MS24693-BB51	SCREW, CSK 100°
15	8	NAS1149DN832J	WASHER
16	7	PLT1.5M-M	TIE-WRAP (OR PLT1.5M-C)

RELEASED

2015 JAN 26

ECN 14-634 CP

F	D4652-5 WAS D4652-1 (ZN D4-1, D4-3, D4-5, D4-7)	RF	14.11.28
E	REVISE BOM (ZN D4-1, D4-3, D4-5, D4-7); ADDED NOTE 11) (ZN A8-9, A8-10, A8-11 & A8-12); REVERSE VIEW - 142/144 (ZN B6-10, B6-12); RANGE 1.5-1.8 WAS 1.8 (ZN A7-17); DIMENSION HAS SHIFTED DUE MATERIAL THICKNESS	RF	14.01.09
D	CORRECTING VIEW FOR ITEM 8 (ZN B2-2); ADDED D5022-1 (ZN D4-9, C3-9, D4-10, C2-10), D5022-3 (ZN D4-11, C8-11), D5022-5 (ZN D4-12, B6-12); DIMENSION SHIFTED DUE ADDING D5022-1/3/5; REVERSE NOTE 10) (ZN A8-9, A8-10, A8-11, A8-12); NOTE 1) (ZN A8-13, A8-14, A8-14, A8-15, A8-16)	RF	13.12.09
C	REVISE NOTE 8) (ZN A8-9, A8-10, A8-11 & A8-12); 32 WAS 34 (ZN C5-15, B5-16); CORRECT TYPO #1 WAS #3 (ZN D4-3); CHANGE TOLERANCE (ZN C3-13, B2-14, B5-17, B7-17, D2-17, D4-17, A3-18)	RF	13.06.18
B	ADDED D4635-141/142/143/144 (ZN B4-9, B4-10, B4-11, B4-12); REVISE D4635-041/042/043/044 PART LIST & GENERAL NOTES; ADDED D4732-41 (ZN B5-8); CHANGE TO D4743-1 SPEAKER GRILL AND MS24693-BB51 SCREWS (SHT 1, 3, 5, 7); ADD VIEWS R-R (ZN A7-17) AND S-S (ZN A5-17); UPDATE DETAIL 'D' (ZN C7-18)	RF	12.11.30
A	NEW ISSUE	RF	12.07.25
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	AK	DRAWING NO.	REV. F
MFG. APPR.	DL	D4635	SHEET 1 OF 18
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	OUTBOARD CEILING PANELS	NTS
DATE	14.11.28	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

APPROVED

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					



RELEASED
2015 JAN 26 *up*

D4635-041 LH, FWD CEILING PANEL ASSY
AUXILIARY VIEW

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	AK	DRAWING NO.	REV. F
MFG. APPR.	DL	D4635	SHEET 2 OF 18
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	OUTBOARD CEILING PANELS	NTS
DATE	14.11.28	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead Hand / Supervisor Approval Verification	
				C / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Si ☐ Folio/Progr ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

Daryl Leger

From: David Shepherd
Sent: Thursday, May 14, 2015 12:35 PM
To: Nigel Forbes; Bill Beckett
Cc: Roberto Fuentes; Linda Lacelle; Mario Poulin; Daryl Leger; Harvey Siemens
Subject: RE: 139 Ceilings Deviation

Nigel,

Thanks for the clarification. I have a much better understanding of what happened here. My assumption had been we were holding off ordering parts until the newer, cheaper parts were approved so that we could reduce our costs. There is certainly no Engineering objection to using the existing stock.

On the lights, the part number did not change (still D4638-1) even though the supplier did, so this is not a deviation. Both the Bruce p/n and Emteq p/n are acceptable.

On the vents, the part number changed from D4652-1 to D4652-5 because the appearance of the part was quite different, so all drawings now call up D4652-5. Suggest we get Roberto to issue a DEO that allows the D4652-1 to be used in place of D4652-5 until stock is depleted.

In both cases, we should set aside a portion of the old stock to support customers who already have the kits. Maybe of the lights and 30 of the vents, or something like that.

Regards,
David

From: Nigel Forbes
Sent: May-14-15 8:31 AM
To: David Shepherd; Bill Beckett
Cc: Roberto Fuentes; Linda Lacelle; Mario Poulin; Daryl Leger; Harvey Siemens
Subject: RE: 139 Ceilings Deviation

David,

Apologies for the delay in replying. After reviewing the history on these items, here's the background:

- The lights, long lead time (90+ days) and minimum quantities to get them at \$765 a piece. Plus, these had to shipped to Mr. Rowe to incorporate in the harnesses and that added to the lead time. So again, we placed blanket P.O based on forecast and we ended up with the these quantities and we can't return them. See belc

From: Shonda Wallace/ATL/Satair <sow@satair.com>
Date: May 14, 2015 at 10:09:59 AM EDT
To: Linda Lacelle <llacelle@dartaero.com>
Subject: RE: BR9741-401-001

Linda,

Unfortunately we do not buy parts back.

Best regards,

Shonda Wallace
Customer Order Specialist

Tel: +1 404 675 6328